



- NOTES:**
1. CONSTRUCTION TO FOLLOW ALL GOVERNING CODE REQUIREMENTS.
 2. CONCRETE TO BE 3000 PSI OR BETTER. CONCRETE THICKNESS AT LEAST 4" THICK WALLS AND 6" THICK ON FLOOR.
 3. ALL REINFORCEMENT SHALL BE MADE WITH #4 REBAR.
 4. ALL REINFORCEMENT SHALL BE PLACED WITH A MINIMUM OF 14" IN BOTH DIRECTIONS AND 4" FROM BOTTOM OF SLAB IN TWO DIRECTIONS.
 5. PLACEMENT OF A SMALL PLASTIC BUCKET INTO BOTTOM OF PIT TO BE USED TO VERIFY EVEN POURING RECOMMENDED FOR SUMP PUMP PROVISION.
 6. RECOMMENDED WALLS AND SLAB TO BE PAINTED WITH CONCRETE SEALER.
 7. ALL JOINTS AND VERTICAL BARRIERS BETWEEN SOIL AND CONCRETE FOR WALLS AND FLOOR ONLY.
 8. PIT FLOOR SOIL SHOULD BE COMPACTED AND TERMITIC TREATED.
 9. WALLS MAY BE CONSTRUCTED OF CONCRETE CINDER BLOCKS AND FLOOR SHALL BE CONSTRUCTED OF CONCRETE AND FILLED WITH CONCRETE GRADE.
 10. SHOP FLOOR CONCRETE SHOULD BE MINIMUM OF 4" THICK (DYNOCOM RECOMMENDS USING 6" THICK).
 11. THESE DRAWINGS ARE INSTALLATION SUGGESTIONS ONLY. SUPERSEDE ALL PREVIOUS DRAWINGS AND SPECIFICATIONS. THE ACCURACY OF THIS DOCUMENT AND SHALL IN NO MANNER BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OF THIS DOCUMENT. ANY QUESTIONS, CONTACT DYNOCOM AT THE FOLLOWING ADDRESS: DYNOCOM INDUSTRIES INC., 123 COMMON CHOCK, PLACEMENT IN ACCORDANCE TO TYPICAL DYNOCOMETER PIT LOCATION.
 12. COMMON CHOCK PLACEMENT IN ACCORDANCE TO TYPICAL DYNOCOMETER PIT LOCATION.

DYNOCOM INDUSTRIES INC. Administrative Software & Hardware Data Systems	
THIRD ANGLE PROJECTION	THIRD ANGLE PROJECTION
TOLERANCES (UNLESS OTHERWISE SPECIFIED) FRACTIONS: 1/16" MIN. & .001" MAX. DECIMALS: .001" MIN. & .005" MAX. HOLE SHIP GAGES: .01" & .06" MIN. & .001" MAX. DATE: 3/8/2010	DATE: 3/8/2010
CONFIDENTIAL-PROPRIETARY THIS DRAWING IS THE PROPERTY OF DYNOCOM INDUSTRIES INC. AND IS SUBJECT TO BE TURNED OVER TO THE USER. IT IS NOT TO BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF DYNOCOM INDUSTRIES INC. FOR WHAT IS HEREIN BE USED.	SCALE: 1/20
PROJECT: 5000 SERIES	PROJECT: 5000 SERIES
REV: 001	REV: 001
AWD-5000-PIT	AWD-5000-PIT
DESIGNER: ESTADIA	DESIGNER: ESTADIA
CHECKER:	CHECKER:
APPROVER:	APPROVER: