


SECTION A-A  
SCALE 1 / 25



SECTION B-B  
SCALE 1 / 25

**NOTES:**

- 1) CONSTRUCTION TO FOLLOW ALL GOVERNING CODE REQUIREMENTS.
- 2) SOIL TO BE TERMITE TREATED, AND COMPACTED. CONCRETE TO BE 3000 PSI OR BETTER. CONCRETE THICKNESS AT LEAST 6" THICK. ALL REINFORCEMENT SHALL BE MADE WITH #4 REBAR.
- 3) WATERPROOFING BETWEEN CONCRETE WALLS/FLOOR PER POLYETHYLENE VAPOR BARRIER OVERLAPPING FROM WALLS AND FLOORING.
- 4) PIT FLOOR REINFORCEMENT SHOULD BE PLACED 1-4" PITCH BOTH DIRECTIONS AND 4" FROM BOTTOM OF SLAB.
- 5) PLACEMENT FOR A SMALL PLASTIC BUCKET INTO PIT FLOOR DURING CEMENT POURING RECOMMENDED FOR SLUMP PROVISION.
- 6) RECOMMEND WALLS AND SLAB BE PAINTED WITH CONCRETE SEALER.
- 7) PVC CONDUIT EXITING ON OPERATOR/PC SYSTEM SIDE FOR CONTROL WIRING. IF EQUIPPED WITH PAU, 1" PVC CONDUIT TO BE PLACED WITHIN 2" FROM WIRING CONDUIT. FOR 230/240 VAC POWER WIRES. ALL CONDUITS WILL ANGLE UP TO EXIT TOP FLOORING APPROX. 36" FROM PIT WALL.
- 8) D-RING LOCATIONS RECOMMENDATIONS, ACTUAL MEASUREMENTS VARY ON SHOP AND FLOOR LAYOUTS.
- 9) DRAWING IS FOR INSTALLATION SUGGESTIONS ONLY. AS STATED (NOTE 1) ALL CITY/STATE/GOV CODES SUPERCEDE THIS DOCUMENT. DYNOCOM INDUSTRIES INC. AND SHALL NOT BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR MISUSE OF THESE INSTALLATION SUGGESTIONS.

<b>CONFIDENTIAL-PROPRIETARY</b> THIS DRAWING IS THE PROPERTY OF DYNOCOM INDUSTRIES INC. AND IS LOANED IN CONFIDENCE WITH THE UNDERSTANDING THAT IT IS NOT TO BE COPIED OR REPRODUCED WITHOUT EXPRESS WRITTEN PERMISSION, AND THAT NEITHER THE DRAWINGS NOR INFORMATION HEREIN BE USED ADVERSELY TO DYNOCOM INDUSTRIES.	<b>TOLERANCES</b> (UNLESS NOTED OTHERWISE) DECIMALS ± .005" FRACTIONALS ± 1/32" ANGULAR ± 0.2° BREAK SHARP CORNERS: 0.1" x 45° SURFACE FINISH: 125	<b>THIRD ANGLE PROJECTION</b> 	<b>DYNOCOM INDUSTRIES INC.</b> Automotive Software & Hardware Data Systems
	<b>DATE</b> 1/5/2011	<b>CHECKED</b> R. Estrada	<b>DESIGNER</b> R. Estrada
<b>MODEL NUMBER</b> 1/5/2011	<b>DATE</b> 1/5/2011	<b>SCALE</b> AWD 7500 PIT	<b>REVISION LETTER</b> 1